

# Innovating sauna control units.

Enjoy the simplicity and modern technology of SAWO Innova Control Units.



Innova Touch



Innova Classic

**INNOVA**  
CONTROLS



With Innova Control Unit you can easily adjust the temperature, humidity\*, ventilation\* and light intensity\* in your sauna. It also has self-learning pre-run timer, so you can have your sauna exactly how you like it!

Innova maintains the set temperature precisely, evenly utilizing the heating elements. There is a keypad lock to prevent

children and unauthorized people from changing the settings.

The SAWO Innova Control Unit is elegant and modern, it looks stylish wherever you place it! For the separate model, you can choose a wooden oval or rectangle Innova Interface Holder.

## Separate Models



Power Controller /  
Contactor Unit



Innova Touch



Innova Classic

## Built-in Models



Innova Touch



Innova Classic



Temperature Sensor  
with overheat fuse

Bench Temperature &  
Humidity Sensor  
(Optional)

Bench Temperature Sensor  
(Optional)

Innova control units are available as Separate or Built-in models. Built-in model comes as one enclosure with the control unit attached to power controller. Alternatively you can have them separate, the slim and stylish control panel in display and the power controller in more concealed place.


The Innova Touch has a modern LCD touch screen with state-of-the-art technology. It has an additional programmable week timer.

The Innova Classic has LED display and buttons for easy usage.

All the SAWO Innova Control Units come with a temperature sensor. Optional bench temperature sensor and combined temperature & humidity sensor are also available to get more accurate measurements and faster heating time in your sauna room.

## Extra Accessory

Available as Pine, Aspen or Heat-treated



Rectangular Interface Holder

Oval Interface Holder

## Technical Data

Description	Power Rating
Control	
Rated Power 3 Phases	15kW AC1 (3 x 5kW)
Rated Voltage 3 Phases	400V 3N~
Rated Power Single Phase	9kW AC1
Rated Voltage Single Phase	230V 1N~
Frequency	50/60Hz
Switching capacity per phase	21A
Sauna temperature range	10 - 110°C
Maximum session time (preset)	4, 6, 12, 18, 24h Restrictions apply according to IEC/EN 60335-2-53

Description	Power Rating
Dimensions INNOVA S types	
User Interface	(W) 180 x (H) 105 x (D) 31
Power Controller	(W) 265 x (H) 245 x (D) 75
Dimensions INNOVA B types	(W) 265 x (H) 245 x (D) 75
Weight INNOVA S types	
User Interface	120g (Classic), 150g (Touch)
Power Controller	1500g
Weight INNOVA B types	1600g (Classic), 1630g (Touch)
Cabin Light	Dimmer optional
Rating	230V 1N~, 100W AC1
Fan	Optional (with speed control)
Rating	230V 1N~, 0,5A

Description	Power Rating
Steamer	Optional
Rated Power 3 Phases	5kW AC1
Rated Power Single Phase	3kW AC1
Rated Voltage	230V 1N~
Switching capacity	21A (3 Phases), 13A (1 Phase)
Maximum sauna temperature for steamer operation	80°C* or 55°C *Depending on the type of Sensor 2.
Automatic water filling	Optional
Automatic drain valve	Optional

Description	Power Rating
Power Extension Unit	Additional
Rated Power 3 Phases	15kW AC1 (3 x 5kW) Power expansion to maximum of 30kW
Rated Voltage 3 Phases	400V 3N~
Frequency	50/60Hz
Switching capacity per phase	21A
Sensor	
Temperature Sensor with fuse	
Bench Sensors	
Bench Temperature Sensor	
Bench Combined Temperature Humidity Sensor	



www.sawo.com  
info@sawo.com